

Model Frame Style	Applicable U.S. Patent No(s).
Backhand	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Badman	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,222,959; D728,005; D728,006
Batwolf	D620,970; D659,179
Beckon	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Big Taco	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271, D676,479
Blender	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D469,458; D678,934
Bottle Rocket	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D705,339
Bottlecap	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D543,572
Breadbox	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D702,757
C Six	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D584,335
C Wire	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Canteen	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D707,284
Caveat	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,403,477
Changeover	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Collected	8,403,477
Commit Av	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D601,613; D622,755
Commit Sq	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D601,613; D622,755

Model Frame Style	Applicable U.S. Patent No(s).
Compulsive Squared	D622,302; D599,835
Confront	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Conquest	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,403,477
Crankcase	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D661,339
Crankshaft	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D717,363
Crosshair	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D700,932
Crosshair (2012)	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D548,268
Crosshair (Titanium)	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D548,268
Crosshair 2.0	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D655,741
Crosshair S	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D548,268
Daisy Chain	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,403,477
Dangerous	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D615,581
Deviation	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Disclosure	D675,667
Discreet	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Disguise	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D648,772
Dispatch	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,874,669; 8,123,351

Model Frame Style	Applicable U.S. Patent No(s).
Dispatch II	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D653,699
Distress	8,403,477;
Drizzle	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
E Wire	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Enduring Edge	7,347,545; 7,594,723; D590,432; D591,787
Enduring Pace	7,347,545; 7,594,723; D591,787
Enduro	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D714,858
Eternal	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D577,759
Eyepatch	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D561,813
Eyepatch 2	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D649,579
Fast Jacket	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,262,219; 8,668,330; D640,725
Feedback	8,403,477
Fives Squared	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Fives XS	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Flak 2.0	D727,407; D724,648
Flak Jacket	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D564,571
Fringe	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271

Model Frame Style	Applicable U.S. Patent No(s).
Frogskins	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Fuel Cell	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D610,604; D616,919; D620,970
Full Metal Jacket Pocket Watch	D703,571
Garage Rock	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D700,933; D724,135
Gascan	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D547,794; D554,689; D556,818
Gascan 3D Glasses	8,547,635; D547,794; D554,689; D556,818
Gascan S	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D554,689
Given	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,403,477
Half Jacket	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Half Jacket 2.0	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,262,219; D675,664; D687,481
Half Wire 2.0	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D581,447
Half X	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D564,568
Hijinx	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D575,323
Holbrook	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Industrial M-Frame Strike	D556,239; D561,815
Inmate	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D579,480, D579,968
Jawbreaker	7,954,942; 8,911,076; D719,209; D725,690; D725,695; D725,696

Model Frame Style	Applicable U.S. Patent No(s).
Juliet	5,648,832; 5,689,323; 5,708,489; 5,805,261; 5,969,789; 6,010,218; 6,056,399; 6,106,116; 6,168,271; 6,250,756; D455,298
Jupiter	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D581,450
Jupiter Squared	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D659,182; D676,898
Jury	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,240,846; D652,442
Kickback	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,403,477
M2 Frame	8,262,219
Madman	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,222,959; D728,004
M-Frame Heater	D399,866
M-Frame Hybrid	D399,866
M-Frame Hybrid S	D399,866
M-Frame Strike	D399,866
M-Frame Sweep	D399,519; D399,866
Minute 2.0	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D575,323
Miss Conduct	D629,036
Miss Conduct Squared	D629,036
Monster Dog	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D496,680; D513,275
Necessity	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D648,773

Model Frame Style	Applicable U.S. Patent No(s).
Obligation	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Oil Rig	D557,326; D572,745
Overtime	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Pampered	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Pit Boss	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,367,669, D609,737; D613,329
Pit Boss 2.0	7,367,669, 8,262,19;
Pit Bull	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D664,590
Plaintiff	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D705,339
Plaintiff	D705,340
Quarter Jacket	D724,649; 8,911,076
Racing Jacket '12	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,686,449; 7,954,942; 8,408, 695; 8,911,076; D640,727; D646,708;
Racing Jacket '12 (Vented)	5,638,145; 5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,686,449; 7,954,942; 8,408,695; 8,911,076; D640,727; D646,708
Radar Edge	7,347,545; 7,594,723; D581,443
Radar EV	D728,002
Radar Path	7,347,545; 7,594,723; D569,412; D568,917; D581,443; D581,444
Radar Path (Vented)	5,638,145; 7,347,545; 7,594,723; D573,621; D581,443; D581,444
Radar Pitch	7,347,545; 7,594,723; D569,412; D571,838; D581,443; D581,444

Model Frame Style	Applicable U.S. Patent No(s).
Radar Pitch (Vented)	5,638,145; 7,347,545; 7,594,723; D574,405; D581,443; D581,444
Radar Range	7,347,545; 7,594,723; D569,412; D568,918; D581,443; D581,444
Radar Range (Vented)	5,638,145; 7,347,545; 7,594,723; D574,025; D581,443; D581,444
Radar Straight Stem Path	7,347,545; 7,594,723; D568,917; D581,443
Radar XL	7,347,545; 7,594,723; D568,917; D581,443; D581,444
Radarlock Edge	8,661,562; D659,180; D568,917
Radarlock Edge (Vented)	5,638,145; 8,661,562; D659,180; D573,621
Radarlock Path	8,661,562; D659,180; D568,917
Radarlock Path (Vented)	5,638,145; 8,661,562; D573,621; D659,180
Radarlock Pitch	8,661,562; D571,838; D659,180
Radarlock Pitch (Vented)	5,638,145; 8,661,562; D574,405; D659,180
Radarlock XL (Vented)	5,638,145; 8,661,562; D574,405; D659,180
Radarlock XL Straight (Vented)	5,638,145; 8,661,562; D574,405; D659,180
Remedy	8,403,477
Restless	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
S.I. M-Frame Helo	D700,934
Scalpel	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,262,219; D610,603; D612,413; D616,920

Model Frame Style	Applicable U.S. Patent No(s).
SI Ballistic Crosshair	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 8,403,477; D548,268
SI Ballistic M Frame 3.0	D561,815
Splinter	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Split Jacket	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,686,449; 7,954,942; 8,408,695; 8,911,076 D615,580; D622,304
Split Jacket (Vented)	5,638,145; 5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,686,449; 7,954,942; 8,408,695; 8,911,076; D615,580; D622,304
Square Wire	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D703,733
Straight Jacket	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D565,089
Style Switch	D728,664
Sweet Spot	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
T Wire	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Tailpin	D728,007
Taper	D725,178
Ten	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D659,181
Tiebreaker	8,403,477
Tightrope	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Top Spin	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Twenty	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; D710,435

Model Frame Style	Applicable U.S. Patent No(s).
Twentysix.2	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Two Face	D692,047
Underspin	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Unfaithful	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Urgency	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Water Jacket	5,638,145; 5,648,832; 5,689,323; 5,760,868; 5,969,789; 6,010,218; 6,168,271; D407,428
Whisker	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Whisker (Titanium)	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271
Wind Jacket	5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,686,449; D615,580; D622,304
Wind Jacket (Vented)	5,638,145; 5,648,832; 5,689,323; 5,969,789; 6,010,218; 6,168,271; 7,686,449; D615,580; D622,304
X Squared	5,648,832; 5,689,323; 5,708,489; 5,805,261; 5,969,789; 6,010,218; 6,056,399; 6,106,116; 6,168,271; 6,250,756; D636,010; D614,685